


TBS-4A Automatic food Twin Blade Saw

Description

- Cuts identical double seams without the operator's influence on the cut.
- Clean and smooth upwards motion.
- Adjustable speeds for optimal performance.
- Single button starts the entire procedure.
- Clean cut - perfect for SEAMetal system.
- Produces ideal GR&R results, since operator strength does not matter during cut.
- Replaceable HSS or TiN saw blades.
- **Stainless steel** - prevents corrosion and staining by beverages and other materials.




TBS-4A Automatic food Twin Blade Saw

TBS-4A Automatic food Twin Blade Saw

Description

- Cuts identical double seams without the operator's influence on the cut.
- Clean and smooth upwards motion.
- Adjustable speeds for optimal performance.
- Single button starts the entire procedure.
- Clean cut - perfect for SEAMetal system.
- Produces ideal GR&R results, since operator strength does not matter during cut.
- Replaceable HSS or TiN saw blades.
- **Stainless steel** - prevents corrosion and staining by beverages and other materials.



TBS-4A Automatic food Twin Blade Saw

Specification

Net weight	35 Kg
Can capacity	50-250 mm diameter
Cutting time	5 seconds (Adjustable)
Two blades	100x22x0.5 mm or 4x1x0.02 inches.
Blades	HSS or TiN
Cut width	12.7mm (1/2 inch). (Right side view)
Speed	540 RPM
Operation	automatic (one button press)

Net weight	35 Kg
Can capacity	50-250 mm diameter
Cutting time	5 seconds (Adjustable)
Two blades	100x22x0.5 mm or 4x1x0.02 inches.
Blades	HSS or TiN
Cut width	12.7mm (1/2 inch). (Right side view)
Speed	540 RPM
Operation	automatic (one button press)

Pictures



TBS-4A Automatic food Twin Blade Saw



Option - Noise Reducer Case